IN THE CLAIMS:

Claims 1 - 12 (Canceled)

13. (Previously Presented) An amplifier comprising:

an ortho-mode feed;

a reflective amplifier array adapted to be illuminated by said feed with an input wavefront with a first polarization and to return thereto an amplified wavefront with a second polarization orthogonal to said first wavefront;

feed means for illuminating said array, said feed means including means for illuminating said array with a spherical wavefront; and

means for converting said spherical wavefront to a planar wavefront, said means for converting including at least one reflective element and first and second mirrors.

14. (Original) The invention of Claim 13 wherein said array includes:

a monolithic semiconductor substrate and

means disposed on said substrate for coherently receiving and retransmitting electromagnetic energy.

- 15. (Previously Presented) The invention of Claim 14 wherein said means disposed on said substrate for coherently receiving and retransmitting electromagnetic energy includes an array of cells.
- 16. (Original) The invention of Claim 15 wherein each of said cells includes a first antenna for receiving said electromagnetic energy.
- 17. (Original) The invention of Claim 16 wherein each of said cells includes an amplifier connected to said antenna.

18. (Original) The invention of Claim 17 wherein each of said cells includes a second antenna for transmitting said electromagnetic energy.

- 19. (Original) The invention of Claim 18 wherein at least one of said antennas is a patch antenna.
- 20. (Previously Presented) The invention of Claim 16 wherein said patch antenna is a corrugated patch antenna.

Claims 21 – 25 (Canceled)

- 26. (Previously Presented) The invention of Claim 13 wherein said first and second mirrors are dual shaped mirrors.
- 27. (Original) The invention of Claim 18 further including means for receiving and retransmitting a beam of electromagnetic energy while controlling the direction thereof.
- 28. (Original) The invention of Claim 27 wherein said means for receiving and retransmitting a beam of electromagnetic energy while controlling the direction thereof includes a phase shifter coupled between said first and said second antenna.
- 29. (Original) The invention of Claim 27 wherein said means for receiving and retransmitting a beam of electromagnetic energy while controlling the direction thereof includes at least one phase shifter coupled between at least two of said cells.

Claims 30 – 33 (Canceled)

34. (Previously Presented) An amplifier comprising:

a monolithic semiconductor substrate;

first means disposed on said substrate for coherently receiving and retransmitting electromagnetic energy; and

second means disposed in alignment with said first means for splitting a received wavefront, reflecting a portion thereof to said first means and transmitting a portion thereof.

35. (Previously Presented) The invention of Claim 34 wherein said means for splitting includes a partially reflective/partially transmissive surface.

36 – 38. (Canceled)